








Pipe Banding to BS 1710 2014 & BS 4800 2011

Self-adhesive vinyl suitable for internal & external use

Available in 150mm, 275mm & 450mm widths. Lengths: 3m, 6m & 12m

Page Pipe Banding Section

2-3	Potable Water From The Public Water Supply
4-6	Non-Potable Water From The Public Water Supply
6-8	Potable Water From Any Other Source
8-11	Non-Potable Water From Any Other Source
11	Potable Fire Safety Systems From The Public Water Supply
11	Potable Fire Safety Systems From Any Other Source
11	Non-Potable Fire Safety Systems From The Public Water Supply
12	Non-Potable Fire Safety Systems From Any Other Source
12	Fire (Non-Water)
13	Acids & Alkalis
13	Air
14	Electrical
14	Gas
14	Steam
15	Oil
15	Waste Effluent
16	Refrigeration Services
16-17	Medical Gases
17	Bespoke Colours
18	Pricing
19-21	Banding Information



Each section has a 'create your own' option. See page 17 for banding in bespoke colours.
Contact us for bespoke/custom designs, widths & lengths.

Pipe Banding to BS 1710 2014 & BS 4800 2011

Self-adhesive vinyl suitable for internal & external use

Available in 150mm, 275mm & 450mm widths. Lengths: 3m, 6m & 12m

Potable Water From Public Water Supply

BS Basic ID Colour for Water:

Green 12-D-45

BS Code Colour:

Auxiliary Blue 18-E-53




PB046PWPWS

Text: BCWS




PB047PWPWS

Text: CWS



PB048PWPWS

Text: DHW FLOW




PB049PWPWS

Text: DHW RETURN




PB067PWPWS

Text: HWS




PB011PWPWS

Text: HWS FLOW




PB012PWPWS

Text: HWS RETURN




PB068PWPWS

Text: LTHW




PB069PWPWS

Text: LTHW FLOW




PB070PWPWS

Text: LTHW RETURN




PB071PWPWS

Text: MCWS




PB072PWPWS

Text: BOOSTED COLD WATER SERVICE




PB073PWPWS

Text: CHILLED WATER




PB074PWPWS

Text: CHILLED WATER FLOW




PB075PWPWS

Text: CHILLED WATER RETURN



PB076PWPWS

Text: COLD WATER SERVICE




PB077PWPWS

Text: DOMESTIC WATER




PB078PWPWS

Text: DOMESTIC COLD WATER



PB026PWPWS

Text: DOMESTIC HOT WATER



PB079PWPWS

Text: DOMESTIC HOT WATER FLOW

150mm wide banding suitable for pipework up to 50mm diameter*

*including any lagging

275mm wide banding suitable for pipework up to 100mm diameter*

450mm wide banding suitable for pipework above 100mm diameter*

Prices

Tel: 01348 840 675

on page 18
November 2024


www.rmlabels.com

Email: info@rmlabels.com

Self-adhesive vinyl suitable for internal & external use
Available in 150mm, 275mm & 450mm widths. Lengths: 3m, 6m & 12m


Potable Water From Public Water Supply

BS Basic ID Colour for Water:
Green 12-D-45
BS Code Colour:
Auxiliary Blue 18-E-53




PB080PWPWS

Text: DOMESTIC HOT
WATER RETURN




PB001PWPWS

Text: DRINKING WATER




PB081PWPWS

Text: HOT WATER SERVICE




PB082PWPWS

Text: HOT WATER
SERVICE FLOW




PB083PWPWS

Text: HOT WATER
SERVICE RETURN




PB084PWPWS

Text: LOW TEMPERATURE
HOT WATER




PB085PWPWS

Text: LOW TEMPERATURE
HOT WATER FLOW




PB086PWPWS

Text: LOW TEMPERATURE
HOT WATER RETURN




PB009PWPWS

Text: MAINS WATER




PB087PWPWS

Text: MAINS COLD
WATER SERVICE




PB104PWPWS

Text: POTABLE WATER




PB131PWPWS

Text: SPRINKLER SYSTEM*




PB005PWPWS

Text: WATER




PB132PWPWS

Text: WATER MIST
SYSTEM*



PB088PWPWS

Text: FLOW




PB089PWPWS

Text: RETURN



PB100PWPWS

Text: NO TEXT



PB900PWPWS

Text: CREATE YOUR OWN

*suitable for non-fire systems, see pages 10-11 for fire systems

Banding for
Non-potable Water,
and Water from
Any Other Source
on following pages.


All pipe banding is
printed on external
grade vinyl suitable
for internal and
external use.

Contact us for over-laminated banding.


Self-adhesive vinyl suitable for internal & external use
Available in 150mm, 275mm & 450mm widths. Lengths: 3m, 6m & 12m

BS Basic ID Colour for Water:
Green 12-D-45
BS Code Colours:
Auxiliary Blue 18-E-53
& Black 00-E-53


Non-Potable Water From Public Water Supply



PB046NWPWS
Text: BCWS




PB065NWPWS
Text: CHW FLOW




PB066NWPWS
Text: CHW RETURN




PB047NWPWS
Text: CWS




PB048NWPWS
Text: DHW FLOW




PB049NWPWS
Text: DHW RETURN



PB067NWPWS
Text: HWS




PB011NWPWS
Text: HWS FLOW



PB012NWPWS
Text: HWS RETURN




PB068NWPWS
Text: LTHW




PB069NWPWS
Text: LTHW FLOW




PB070NWPWS
Text: LTHW RETURN



PB071NWPWS
Text: MCWS




PB003NWPWS
Text: BOILER FEED




PB072NWPWS
Text: BOOSTED COLD
WATER SERVICE




PB073NWPWS
Text: CHILLED WATER




PB074NWPWS
Text: CHILLED WATER
FLOW



PB075NWPWS
Text: CHILLED WATER
RETURN



PB076NWPWS
Text: COLD WATER
SERVICE



PB004NWPWS
Text: CONDENSATE

Self-adhesive vinyl suitable for internal & external use

Available in 150mm, 275mm & 450mm widths. Lengths: 3m, 6m & 12m

BS Basic ID Colour for Water:


Green 12-D-45

BS Code Colours:

Auxiliary Blue 18-E-53


& Black 00-E-53

Non-Potable Water From Public Water Supply




PB002NWPWS

Text: COOLING WATER




PB077NWPWS

Text: DOMESTIC WATER




PB078NWPWS

Text: DOMESTIC COLD
WATER




PB026NWPWS

Text: DOMESTIC HOT
WATER



PB079NWPWS

Text: DOMESTIC HOT
WATER FLOW




PB080NWPWS

Text: DOMESTIC HOT
WATER RETURN




PB006NWPWS

Text: HEATING




PB007NWPWS

Text: HEATING FLOW




PB008NWPWS

Text: HEATING RETURN




PB081NWPWS

Text: HOT WATER
SERVICE




PB082NWPWS

Text: HOT WATER
SERVICE FLOW




PB083NWPWS

Text: HOT WATER
SERVICE RETURN




PB010NWPWS

Text: HYDRAULIC POWER*




PB084NWPWS

Text: LOW TEMPERATURE
HOT WATER




PB085NWPWS

Text: LOW TEMPERATURE
HOT WATER FLOW




PB086NWPWS

Text: LOW TEMPERATURE
HOT WATER RETURN




PB087NWPWS

Text: MAINS COLD
WATER SERVICE




PB009NWPWS

Text: MAINS WATER



PB105NWPWS

Text: NON-POTABLE
WATER



PB092NWPWS

Text: SOFT WATER

*suitable for non-potable water, see page 15 for Oils

Prices

on page 18

November 2024

www.rmlabels.com

Email: info@rmlabels.com


Tel: 01348 840 675

Pipe Banding to BS 1710 2014 & BS 4800 2011

Self-adhesive vinyl suitable for internal & external use
Available in 150mm, 275mm & 450mm widths. Lengths: 3m, 6m & 12m


BS Basic ID Colour for Water:
Green 12-D-45
BS Code Colours:
Auxiliary Blue 18-E-53
& Black 00-E-53

Non-Potable Water From Public Water Supply




PB131NWPWS

Text: SPRINKLER SYSTEM*




PB107NWPWS

Text: WASTE WATER



PB005NWPWS


Text: WATER



PB132NWPWS


Text: WATER MIST SYSTEM*

*suitable for non-fire systems, see pages 10-11 for fire systems



PB088NWPWS

Text: FLOW




PB089NWPWS

Text: RETURN



PB300NWPWS

Text: NO TEXT




PB900NWPWS

Text: CREATE YOUR OWN

BS Basic ID Colour for Water:
Green 12-D-45


BS Code Colour: Flint Grey 00-A-09

Potable Water From Any Other Source




PB046PWAOS

Text: BCWS




PB047PWAOS

Text: CWS




PB048PWAOS

Text: DHW FLOW




PB049PWAOS

Text: DHW RETURN




PB067PWAOS

Text: HWS




PB011PWAOS

Text: HWS FLOW




PB012PWAOS

Text: HWS RETURN




PB068PWAOS

Text: LTHW




PB069PWAOS

Text: LTHW FLOW




PB070PWAOS

Text: LTHW RETURN



PB072PWAOS

Text: BOOSTED COLD
WATER SERVICE



PB033PWAOS

Text: BOREHOLE

Specials made to order, contact us for details

Tel: 01348 840 675

Prices
on page 18
November 2024

www.rmlabels.com
Email: info@rmlabels.com

Pipe Banding to BS 1710 2014 & BS 4800 2011

Self-adhesive vinyl suitable for internal & external use


Available in 150mm, 275mm & 450mm widths. Lengths: 3m, 6m & 12m

Potable Water From Any Other Source

BS Basic ID Colour for Water:


Green 12-D-45

BS Code Colour: Flint Grey 00-A-09




PB073PWAOS

Text: CHILLED WATER




PB074PWAOS

Text: CHILLED WATER
FLOW




PB075PWAOS

Text: CHILLED WATER
RETURN




PB076PWAOS

Text: COLD WATER
SERVICE




PB077PWAOS

Text: DOMESTIC WATER




PB078PWAOS

Text: DOMESTIC
COLD WATER




PB026PWAOS

Text: DOMESTIC
HOT WATER




PB079PWAOS

Text: DOMESTIC HOT
WATER FLOW




PB080PWAOS

Text: DOMESTIC HOT
WATER RETURN




PB001PWAOS

Text: DRINKING WATER




PB081PWAOS

Text: HOT WATER
SERVICE




PB082PWAOS

Text: HOT WATER
SERVICE FLOW




PB083PWAOS

Text: HOT WATER
SERVICE RETURN




PB084PWAOS

Text: LOW TEMPERATURE
HOT WATER




PB085PWAOS

Text: LOW TEMPERATURE
HOT WATER FLOW




PB086PWAOS

Text: LOW TEMPERATURE
HOT WATER RETURN




PB104PWAOS

Text: POTABLE WATER




PB035PWAOS

Text: RIVER WATER



PB131PWAOS

Text: SPRINKLER SYSTEM*



PB005PWAOS

Text: WATER

*suitable for non-fire systems, see pages 10-11 for fire systems

Prices

on page 18
November 2024

www.rmlabels.com

Email: info@rmlabels.com

Tel: 01348 840 675

Pipe Banding to BS 1710 2014 & BS 4800 2011


Self-adhesive vinyl suitable for internal & external use

Available in 150mm, 275mm & 450mm widths. Lengths: 3m, 6m & 12m


Potable Water From Any Other Source

BS Basic ID Colour for Water:
Green 12-D-45


BS Code Colour: Flint Grey 00-A-09




PB132PWAOS
Text: WATER MIST
SYSTEM*



PB034PWAOS
Text: WELL WATER



PB088PWAOS
Text: FLOW




PB089PWAOS
Text: RETURN

*suitable for non-fire systems, see pages 10-11 for fire systems



PB200PWAOS
Text: NO TEXT



PB900PWAOS
Text: CREATE YOUR OWN

Delivery Charges

All orders dispatched by courier
from our UK warehouse

Mainland UK from £8.75

Scottish Borders/Lowlands from £9.95

Scottish Highlands from £15.95*

Northern Ireland from £22.50*

All prices above are for
our standard courier service

*£12.95 by Royal Mail for order values below £40 + VAT

Please contact us for Offshore & Worldwide delivery
charges. Further details of our delivery charges
can be found on our website

150mm wide banding suitable for
pipework up to 50mm diameter*

275mm wide banding suitable for
pipework up to 100mm diameter*


450mm wide banding suitable for
pipework above 100mm diameter*
*including any lagging

BS Basic ID Colour for Water:
Green 12-D-45


BS Code Colour:

Flint Grey 00-A-09 & Black 00-E-53


Non-Potable Water From Any Other Source




PB046NWAOS
Text: BCWS




PB065NWAOS
Text: CHW FLOW



PB066NWAOS
Text: CHW RETURN




PB047NWAOS
Text: CWS




PB048NWAOS
Text: DHW FLOW




PB049NWAOS
Text: DHW RETURN




PB067NWAOS
Text: HWS




PB011NWAOS
Text: HWS FLOW




PB012NWAOS
Text: HWS RETURN



PB068NWAOS
Text: LTHW



PB069NWAOS
Text: LTHW FLOW



PB070NWAOS
Text: LTHW RETURN

Specials made to order, contact us for details

Tel: 01348 840 675

Prices
on page 18
November 2024

www.rmlabels.com

Email: info@rmlabels.com


Self-adhesive vinyl suitable for internal & external use
Available in 150mm, 275mm & 450mm widths. Lengths: 3m, 6m & 12m

BS Basic ID Colour for Water:
Green 12-D-45

BS Code Colour:


Flint Grey 00-A-09 & Black 00-E-53

Non-Potable Water From Any Other Source




PB003NWAOS

Text: BOILER FEED




PB072NWAOS

Text: BOOSTED COLD
WATER SERVICE




PB040NWAOS

Text: BOOSTED RAINWATER




PB033NWAOS

Text: BOREHOLE




PB073NWAOS

Text: CHILLED WATER




PB074NWAOS

Text: CHILLED WATER
FLOW




PB075NWAOS

Text: CHILLED WATER
RETURN




PB076NWAOS

Text: COLD WATER SERVICE




PB004NWAOS

Text: CONDENSATE




PB002NWAOS

Text: COOLING WATER




PB077NWAOS

Text: DOMESTIC WATER




PB078NWAOS

Text: DOMESTIC
COLD WATER




PB026NWAOS

Text: DOMESTIC
HOT WATER




PB079NWAOS

Text: DOMESTIC HOT
WATER FLOW




PB080NWAOS

Text: DOMESTIC HOT
WATER RETURN




PB036NWAOS

Text: GREYWATER




PB006NWAOS

Text: HEATING




PB007NWAOS

Text: HEATING FLOW



PB008NWAOS

Text: HEATING RETURN



PB081NWAOS

Text: HOT WATER
SERVICE

Specials made to order, contact us for details

Tel: 01348 840 675

Prices
on page 18
November 2024

www.rmlabels.com

Email: info@rmlabels.com

Self-adhesive vinyl suitable for internal & external use
Available in 150mm, 275mm & 450mm widths. Lengths: 3m, 6m & 12m


BS Basic ID Colour for Water:

Green 12-D-45


BS Code Colour:

Flint Grey 00-A-09 & Black 00-E-53


Non-Potable Water From Any Other Source




PB082NWAOS
Text: HOT WATER
SERVICE FLOW




PB083NWAOS
Text: HOT WATER
SERVICE RETURN




PB010NWAOS
Text: HYDRAULIC POWER**




PB084NWAOS
Text: LOW TEMPERATURE
HOT WATER




PB085NWAOS
Text: LOW TEMPERATURE
HOT WATER FLOW




PB086NWAOS
Text: LOW TEMPERATURE
HOT WATER RETURN




PB105NWAOS
Text: NON-POTABLE
WATER




PB039NWAOS
Text: RAINWATER




PB038NWAOS
Text: RECYCLED EFFLUENT




PB035NWAOS
Text: RIVER WATER




PB092NWAOS
Text: SOFT WATER




PB131NWAOS
Text: SPRINKLER SYSTEM*




PB037NWAOS
Text: TREATED EFFLUENT




PB106NWAOS
Text: WASTE EFFLUENT




PB107NWAOS
Text: WASTE WATER




PB005NWAOS
Text: WATER




PB132NWAOS
Text: WATER MIST SYSTEM*



PB034NWAOS
Text: WELL WATER



PB088NWAOS
Text: FLOW



PB089NWAOS
Text: RETURN

*suitable for non-fire systems, see pages 10-11 for fire systems

**suitable for non-potable water, see page 15 for Oils

Tel: 01348 840 675

Prices
on page 18
November 2024

www.rmlabels.com

Email: info@rmlabels.com

Pipe Banding to BS 1710 2014 & BS 4800 2011

Self-adhesive vinyl suitable for internal & external use
Available in 150mm, 275mm & 450mm widths. Lengths: 3m, 6m & 12m


Non-Potable Water From Any Other Source

BS Basic ID Colour for Water:
Green 12-D-45
BS Code Colour:
Flint Grey 00-A-09 & Black 00-E-53



PB400NWAOS
Text: NO TEXT

150mm wide banding suitable
for pipework up to 50mm diameter*



PB900NWAOS
Text: CREATE YOUR OWN

275mm wide banding suitable
for pipework up to 100mm diameter*

Contact us
for over-laminated
banding.

Delivery Charges

All orders dispatched by courier
from our UK warehouse

Mainland UK from £8.75
Scottish Borders/Lowlands from £9.95
Scottish Highlands from £15.95*
Northern Ireland from £22.50*

All prices above are for
our standard courier service

*£12.95 by Royal Mail for order values below £40 + VAT


Please contact us for Offshore & Worldwide delivery
charges. Further details of our delivery charges
can be found on our website

450mm wide banding suitable for
pipework above 100mm diameter*


*including any lagging

Potable Fire Safety Systems from the Public Water Supply


BS Basic ID Colour: Green 12-D-45 - BS Safety & Code Colours: Auxiliary Blue 18-E-53 & Red 04-E-53



PB030PPWS
Text: HYDRANT SYSTEM



PB031PPWS
Text: SPRINKLER SYSTEM*




PB032PPWS
Text: WATER MIST SYSTEM*




PB500PPWS
NO TEXT

Potable Fire Safety Systems from Any Other Source


BS Basic ID Colour: Green 12-D-45 - BS Safety & Code Colours: Flint Grey 00-A-09 & Red 04-E-53




PB030PFAOS
Text: HYDRANT SYSTEM



PB031PFAOS
Text: SPRINKLER SYSTEM




PB032PFAOS
Text: WATER MIST SYSTEM




PB600PFAOS
NO TEXT

Non-Potable Fire Safety Systems from the Public Water Supply


BS Basic ID Colour: Green 12-D-45 - BS Safety & Code Colours: Auxiliary Blue 18-E-53, Red 04-E-53 & Black 00-E-53




PB030NFPWS
Text: HYDRANT SYSTEM



PB031NFPWS
Text: SPRINKLER SYSTEM*



PB032NFPWS
Text: WATER MIST SYSTEM*



PB700NFPWS
NO TEXT

Specials made to order, contact us for details

*suitable for fire systems, see pages 1-9 for non-fire systems

Tel: 01348 840 675

Prices
on page 18
November 2024

www.rmlabels.com


Email: info@rmlabels.com

Self-adhesive vinyl suitable for internal & external use

Available in 150mm, 275mm & 450mm widths. Lengths: 3m, 6m & 12m


Non-Potable Fire Safety Systems from Any Other Source

BS Basic ID Colour: Green 12-D-45 - BS Safety & Code Colours: Flint Grey 00-A-09, Red 04-E-53 & Black 00-E-53




PB030NFAOS

Text: HYDRANT SYSTEM



PB031NFAOS

Text: SPRINKLER SYSTEM*



PB032NFAOS

Text: WATER MIST SYSTEM*




PB800NFAOS

NO TEXT

*suitable for fire systems, see pages 1-9 for non-fire systems


Add your own text to Create Your Own Fire Safety Banding

BS Basic ID Colour: Green 12-D-45 - BS Safety & Code Colours: Auxiliary Blue 18-E-53, Flint Grey 00-A-09, Red 04-E-53 & Black 00-E-53




PB900PFWS

Text: CREATE YOUR OWN




PB900PFAOS

Text: CREATE YOUR OWN



PB900NFPWS

Text: CREATE YOUR OWN



PB900NFAOS

Text: CREATE YOUR OWN


Fire (Non-Water)

BS Basic ID Colour: Red 04-E-53



PB101FIR

Text: FIRE



PB102FIR

Text: FOAM



PB103FIR

Text: FIRE
EXTINGUISHING



PB109FIR

Text: DRY RISER



PB110FIR

Text: WET RISER



PB900FIR

Text: CREATE YOUR OWN

Contact us
for over-laminated
banding.



PB101FIR

NO TEXT

Delivery Charges

All orders dispatched by courier
from our UK warehouse

Mainland UK from £8.75
Scottish Borders/Lowlands from £9.95
Scottish Highlands from £15.95*
Northern Ireland from £22.50*

All prices above are for
our standard courier service

*£12.95 by Royal Mail for order values below £40 + VAT

Please contact us for Offshore & Worldwide delivery
charges. Further details of our delivery charges
can be found on our website

Specials made to order, contact us for details

Tel: 01348 840 675

Prices
on page 18
November 2024

www.rmlabels.com
Email: info@rmlabels.com

150mm wide banding suitable
for pipework up to 50mm diameter*


275mm wide banding suitable
for pipework up to 100mm diameter*

450mm wide banding suitable for
pipework above 100mm diameter*

*including any lagging


Self-adhesive vinyl suitable for internal & external use
Available in 150mm, 275mm & 450mm widths. Lengths: 3m, 6m & 12m

Acids & Alkalis BS Basic ID Colour: Violet 22-C-37




PB024AA

Text: ACIDS AND ALKALIS




PB094AA

Text: ACID




PB095AA

Text: ALKALI




PB096AA

Text: AMMONIA




PB097AA

Text: GLYCOL



PB098AA

Text: SODIUM HYDROXIDE



PB099AA

Text: SODIUM HYPOCHLORITE

Delivery Charges

All orders dispatched by courier from our UK warehouse

Mainland UK from £8.75
Scottish Borders/Lowlands from £9.95
Scottish Highlands from £15.95*
Northern Ireland from £22.50*

All prices above are for our standard courier service


*£12.95 by Royal Mail for order values below £40 + VAT

Please contact us for Offshore & Worldwide delivery charges. Further details of our delivery charges can be found on our website



PB024AA

NO TEXT



PB900AA

Text: CREATE YOUR OWN

150mm wide banding suitable for pipework up to 50mm diameter*


275mm wide banding suitable for pipework up to 100mm diameter*

450mm wide banding suitable for pipework above 100mm diameter*

*including any lagging

Contact us for over-laminated banding.

Air BS Basic ID Colour: Light Blue 20-E-51




PB093AIR

Text: AIR




PB019AIR

Text: COMPRESSED AIR



PB090AIR


Text: LP COMPRESSED AIR



PB091AIR

Text: HP COMPRESSED AIR

BS Code Colour for Vacuum: White 00-E-55




PB020AIR

Text: VACUUM



PB020AIR

NO TEXT



PB900AIR

Text: CREATE YOUR OWN



PB019AIR

NO TEXT


Tel: 01348 840 675

Prices on page 18
November 2024

www.rmlabels.com
Email: info@rmlabels.com

Self-adhesive vinyl suitable for internal & external use
Available in 150mm, 275mm & 450mm widths. Lengths: 3m, 6m & 12m

Electrical BS Basic ID Colour: Orange 06-E-51




PB023ELE
NO TEXT

PB900ELE
Text: **CREATE YOUR OWN**



Gas BS Basic ID Colour: Yellow Ochre 08-C-35




PB111GAS
Text: **BIOGAS**

PB108GAS
Text: **GAS**

PB108GAS
NO TEXT

PB900GAS
Text: **CREATE YOUR OWN**

BS Code Colour for Natural Gas: Primrose Yellow 10-E-53




PB018GAS
Text: **NATURAL GAS**

PB018GAS
NO TEXT

**For Medical Gases &
Refrigerant Services
See pages 16 & 17**

Steam BS Basic ID Colour: Silver Grey 10-A-03



PB021STM
Text: **STEAM**

PB021STM
NO TEXT

PB900STM
CREATE YOUR OWN

Delivery Charges

All orders dispatched by courier from our UK warehouse

Mainland UK from £8.75
Scottish Borders/Lowlands from £9.95
Scottish Highlands from £15.95*
Northern Ireland from £22.50*

All prices above are for our standard courier service

*£12.95 by Royal Mail for order values below £40 + VAT

Please contact us for Offshore & Worldwide delivery charges. Further details of our delivery charges can be found on our website

150mm wide banding suitable for pipework up to 50mm diameter*

275mm wide banding suitable for pipework up to 100mm diameter*

450mm wide banding suitable for pipework above 100mm diameter*

*including any lagging

Contact us for over-laminated banding.

Tel: 01348 840 675

Prices
on page 18
November 2024

www.rmlabels.com
Email: info@rmlabels.com

Pipe Banding to BS 1710 2014 & BS 4800 2011 **R M LABELS**

Page 15


Self-adhesive vinyl suitable for internal & external use

Available in 150mm, 275mm & 450mm widths. Lengths: 3m, 6m & 12m

Oil

BS Basic ID Colour: Brown 06-C-39

BS Code Colour for Diesel Fuel: White 00-E-55




PB013OIL

Text: DIESEL FUEL



PB013OIL

NO TEXT



PB014OIL


Text: FURNACE FUEL



PB014OIL


NO TEXT

BS Code Colour for Lubricating Oil: Emerald Green 14-E-53



PB015OIL


Text: LUBRICATING OIL



PB015OIL


NO TEXT

BS Code Colour for Hydraulic Power: Salmon Pink 04-C-33



PB016OIL


Text: HYDRAULIC POWER*



PB016OIL

NO TEXT

BS Code Colour for Transformer: Crimson 04-D-45




PB017OIL

Text: TRANSFORMER



PB017OIL

NO TEXT



PB900OIL

Text: CREATE YOUR OWN

150mm wide banding
Suitable for pipework and any
lagging up to 50mm diameter

275mm wide banding
Suitable for pipework and any
lagging up to 100mm diameter

450mm wide banding
Suitable for pipework and any
lagging above 100mm diameter

Waste Effluent


BS Basic ID Colour: Black 00-E-53

*suitable for Oil, see pages 5 & 10 for non-potable water




PB022WE

Text: WASTE EFFLUENT




PB025WE

Text: SEWAGE




PB027WE

Text: WASTE WATER




PB028WE

Text: SLUDGE




PB029WE

Text: SVP



PB022WE

NO TEXT



PB900WE

Text: CREATE YOUR OWN

P&P
from £8.75

All orders dispatched by courier
from our UK warehouse

Specials made to order, contact us for details

Tel: 01348 840 675

Prices
on page 18
November 2024

www.rmlabels.com
Email: info@rmlabels.com

Self-adhesive vinyl suitable for internal & external use


Available in 150mm, 275mm & 450mm widths. Lengths: 3m, 6m & 12m

Refrigeration Services

BS Basic ID Colour for Refrigerant Services: Yellow Ochre 08-C-35

BS Code Colour for Anhydrous Ammonia: Dark Mauve 02-C-37

BS Code Colour for Refrigerant 12: Blue 18-E-51




PB041REF

Text: ANHYDROUS AMMONIA

BS Code Colour for Refrigerant 22: Sea Green 16-C-37



**PB041REF
NO TEXT**




PB042REF

Text: REFRIGERANT 12

BS Code Colour for Refrigerant 502: Golden Brown 06-C-45



**PB042REF
NO TEXT**




PB043REF

Text: REFRIGERANT 22



**PB043REF
NO TEXT**




PB044REF

Text: REFRIGERANT 502



**PB044REF
NO TEXT**

BS Code Colour for Other Refrigerants: Emerald Green 14-E-53




PB045REF

Text: OTHER REFRIGERANTS



**PB045REF
NO TEXT**



PB900GAS

Text: **CREATE YOUR OWN**

150mm wide banding
Suitable for pipework and
any lagging up to 50mm diameter

275mm wide banding
Suitable for pipework and
any lagging up to 100mm diameter

450mm wide banding
Suitable for pipework and
any lagging above 100mm diameter


Medical Gases

BS Basic ID Colours for Medical Gases: Yellow Ochre 08-C-35 & Light Blue 20-E-51

BS Code Colour: White 00-E-55


BS Code Colour: French Blue 20-D-45

BS Code Colours: Primrose Yellow: 10-E-53 & French Blue 20-D-45



PB050MG

Text: OXYGEN



PB051MG


Text: NITROUS OXIDE



PB052MG


Text: AGS

BS Code Colour: French Grey 12-B-21




PB053MG

Text: CARBON DIOXIDE



PB054MG

Text: EXHAUST



PB055MG

Text: SPARE MEDICAL GAS

Tel: 01348 840 675

Prices
on page 18
November 2024

www.rmlabels.com
Email: info@rmlabels.com

Pipe Banding to BS 1710 2014 & BS 4800 2011

Self-adhesive vinyl suitable for internal & external use
Available in 150mm, 275mm & 450mm widths. Lengths: 3m, 6m & 12m

Medical Gases


BS Basic ID Colours for Medical Gases: Yellow Ochre 08-C-35 & Light Blue 20-E-51

BS Code Colours:
White 00-E-55 & Black 00-E-53

BS Code Colours:
White 00-E-55 & Black 00-E-53


BS Code Colour:
Primrose Yellow 10-E-53

BS Code Colour:
Black 00-E-53




PB056MG

Text: SURGICAL AIR




PB057MG

Text: MEDICINAL AIR



PB058MG

Text: MEDICAL VACUUM



PB059MG


Text: SURGICAL NITROGEN

BS Code Colours:
Golden Brown 06-D-45 &
Primrose Yellow 10-E-53

BS Code Colours:
Golden Brown 06-D-45,
White 00-E-55 & Black 00-E-53


BS Code Colours:
Golden Brown 06-D-45
& French Grey 12-B-21

BS Code Colours:
White 00-E-55
& French Blue 20-D-45




PB060MG

Text: PATH M VAC




PB061MG

Text: PATH COMP AIR



PB062MG

Text: PATH CO2




PB063MG

Text: O2/N2O


BS Code Colours:
White 00-E-55 &
Golden Brown 06-D-45

Create Your Own Gas/Air Banding




PB064MG

Text: HE/O2



PB900GAS

Text: CREATE YOUR OWN



PB900AIR

Text: CREATE YOUR OWN

Delivery Charges


All orders dispatched by courier from our UK warehouse

Mainland UK from £8.75
Scottish Borders/Lowlands from £9.95
Scottish Highlands from £15.95*
Northern Ireland from £22.50*

All prices above are for our standard courier service
*£12.95 by Royal Mail for order values below £40 + VAT


Please contact us for Offshore & Worldwide delivery charges
Further details of our delivery charges can also be found on our website

Create Your Own Bespoke Banding



PBSPEC01T

Text: CREATE YOUR OWN



PBSPEC01T

Text: CREATE YOUR OWN



PBSPEC02X

NO TEXT



PBSPEC02X

NO TEXT

Choose Your Own Colours, Plus Add Your Own Text & Directional Arrows

Text & Arrows printed in Black or White - Available with or without text and arrows

Special layouts and sizes made to order, contact us for details

Tel: 01348 840 675

Prices on page 18
November 2024

www.rmlabels.com
Email: info@rmlabels.com

Pipe Banding Prices

Width: 150mm (suitable for pipework and any lagging up to 50mm diameter)

3 metre rolls

1 roll	2+ rolls		4+ rolls		
£33.75	£31.05		£29.25		

3 metre rolls - Create Your Own

1 roll	2+ rolls		4+ rolls		
£53.75	£51.05		£49.25		

6 metre rolls

1 roll			4+ rolls	6+ rolls	
£56.00			£48.00	£42.00	

6 metre rolls - Create Your Own

1 roll			4+ rolls	6+ rolls	
£76.00			£53.00	£45.50	

12 metre rolls

1 roll	2+ rolls		4+ rolls		8+ rolls
£110.00	£95.00		£78.00		£72.00

12 metre rolls - Create Your Own

1 roll	2+ rolls		4+ rolls		8+ rolls
£140.00	£110.00		£85.50		£75.75

Width: 275mm (suitable for pipework and any lagging up to 100mm diameter)

3 metre rolls

1 roll	2+ rolls		4+ rolls		
£40.50	£38.25		£36.45		

3 metre rolls - Create Your Own

1 roll	2+ rolls		4+ rolls		
£60.50	£48.25		£41.45		

6 metre rolls

1 roll	2+ roll		4+ rolls	6+ rolls	
£64.00	£61.00		£59.00	£55.00	

6 metre rolls - Create Your Own

1 roll	2+ roll		4+ rolls	6+ rolls	
£84.00	£71.00		£64.00	£58.50	

12 metre rolls

1 roll	2+ rolls		4+ rolls		8+ rolls
£120.00	£105.00		£99.00		£85.00

12 metre rolls - Create Your Own

1 roll	2+ rolls		4+ rolls		8+ rolls
£150.00	£120.00		£106.50		£88.75

Width: 450mm (suitable for pipework and any lagging over 100mm diameter)

3 metre rolls

1 roll	2+ rolls		4+ rolls		
£52.50	£48.75		£45.00		

3 metre rolls - Create Your Own

1 roll	2+ rolls		4+ rolls		
£72.50	£58.75		£50.00		

6 metre rolls

1 roll		3+ roll		6+ rolls	
£78.00		£75.00		£72.00	

6 metre rolls - Create Your Own

1 roll		3+ roll		6+ rolls	
£98.00		£85.00		£78.00	

12 metre rolls

1 roll	2+ rolls		4+ rolls		
£155.00	£140.00		£136.00		

12 metre rolls - Create Your Own

1 roll	2+ rolls		4+ rolls		
£185.00	£155.00		£143.50		

Pipe Identification Tapes

Banding Colour Guides

Service	Identification Colour	Colour Code
Basic identification colours		
Water	Green	12-D-45
Steam	Silver grey	10-A-03
Oils - mineral, vegetable or animal Combustible liquids	Brown	06-C-39
Gases in either gaseous or liquified condition (except air)	Yellow Ochre	08-C-35
Acids and alkalis	Violet	22-C-37
Air	Light blue	20-E-51
Waste effluents	Black	00-E-53
Electrical services and ventilation ducts	Orange	06-E-51
Safety colours		
Fire	Red	04-E-53
Water from a public supply	Auxiliary blue	18-E-53
Water from any other source	Flint grey	00-A-09
Warning	Yellow	08-E-51
Code and other colours		
Refrigeration	Blue	18-E-51
Medical gases and refrigeration	Golden brown	06-D-45

Service	Identification Colour	Colour Code
Building services and refrigeration	Crimson	04-D-45
Building services and refrigeration	Emerald green	14-E-53
Building services	Salmon pink	04-C-33
Building services and medical gases	Primrose	10-E-53
Building services and medical gases	White	00-E-55
Medical gases	French grey	12-B-21
Medical gases	French blue	20-D-45
Refrigeration	Sea green	16-C-37
Refrigeration	Dark mauve	02-C-37

Pipe Contents	Identification Colours
WATER SERVICES	Basic id colour / Safety and code colours/ Basic id colour*
Source of water	
Potable water derived from the public water supply (i.e. water undertaker)	Green / Auxiliary blue / Green
Potable water derived from any other source (e.g. borehole)	Green / Flint grey / Green
Water quality	
Non-potable water system derived from any other source	Green / Flint grey / Black / Flint grey / Green
Non-potable water system derived from the public water supply (i.e. water undertaker)	Green / Auxiliary blue / Black / Auxiliary blue / Green
Safety systems	
Potable fire safety system derived from the public water supply, e.g. direct feed system	Green / Auxiliary blue / Red / Auxiliary blue / Green
Potable fire safety system derived from any other source, e.g. direct feed system	Green / Flint grey / Black / Flint grey / Green
Non-potable fire safety system derived from the public water supply, including storage	Green / Auxiliary blue / Black / Red / Black / Auxiliary blue / Green
	*id means 'identification'
NOTE 1 The colour names in these examples are illustrative only. Reference should be made to Table 1 of BSI Specification for identification of pipelines and services for the relevant BS 400 colour number.	
NOTE 2 The widths of the basic identification, safety and code colours should be a specified in 7.4. of BSI Specification for identification of pipelines and services).	

Water service categorization		
Source of water ^{A) B)}	Public water supply (base code colour - auxiliary blue) ● Water derived from a water undertakers' supply system.	Alternative sources (base code colour - flint grey) ● Private water supplies ● Borehole ● Well water ● River water ● Water reuse systems ● Rainwater ● Greywater ● Treated or recycled effluents ● Condensates for reuse ^{B)}
Water quality ^{C)}	Potable (no additional code colour) ● Drinking water Domestic hot water ^{D)}	Non-potable (additional code colour - black) ● Domestic hot water ^{D)} ● Heating ● Cooling ● Boiler feeds ● Non-domestic or industrial processes ● Hydraulic power ^{E)}
Safety systems	Fire-fighting ^{F)} (additional safety colour - red) ● Hydrant systems ● Sprinkler systems ● Water mist systems	
A) Alternative sources include water provided from sources not being supplied from the public water supply as provided by a water supplier (water undertaker).		
B) Waste effluents which are for direct reuse (e.g. greywater for flushing WCs) should be identified as a water service. Waste effluents which have been subject to treatment and are intended for reuse (e.g. bathroom greywater) should be identified post treatment as a water service. Waste effluents conveyed for treatment, at municipal treatment works or similar, prior to discharge back to the environment, should be identified as a general building service (see Annex D of BSI Specification for identification of pipelines and services). This includes the conveyance of waste effluents upstream of any recycling or water reuse treatment system.		
C) Attention is drawn to the Water Fittings Regulations (1) (2) (3) and the Water Industry Act 1991 (4) and similar legislation in Scotland (5) and Northern Ireland (6).		
D) Domestic hot water which would otherwise meet the requirements for potable water except for it being heated should be designated potable. Domestic hot water which has been treated or contain additives or chemical compounds in concentrations which exceed the standards for drinking water should be designated non-potable.		
E) Hydraulic power utilizing water is to be identified as a water service. Where oil is utilized, it is to be identified as a building service (see Annex D of BSI Specification for identification of pipelines and services).		
F) Fire-fighting systems supplied direct from the drinking water supply mains and containing no additives may, following an assessment, be considered for potable designation. For all other systems, or where there is doubt regarding the water quality, these should be designated as non-potable systems. Examples include fire systems supplied from storage or containing additives.		
NOTE The basic identification colour for water services is green.		

Extracts from BS1710: 2014 are reproduced with the kind permission of BSI Customer Services,
389 Chiswick High Road, London W4 4AL, Tel: +44 20 8996 7004
Email: knowledgecentre@bsigroup.com

These extracts are for information purposes only. You should refer to the full BSI Standards Publication BS1710 'Specification for identification of pipelines and services' for information on the full requirements.

Pipe Banding to BS 1710 2014 & BS 4800 2011

Banding Colour Guides

Pipe Contents	Identification Colours
GENERAL BUILDING SERVICES	Basic identification colour / Code colour / Basic identification colour
OILS	
Diesel fuel	Brown / White / Brown
Furnace fuel	Brown
Lubricating	Brown / Emerald green / Brown
Hydraulic power ^{A)}	Brown / Salmon pink / Brown
Transformer	Brown / Crimson / Brown
OTHER CONTENTS	
Natural gas	Yellow ochre / Primrose / Yellow ochre
Compressed air	Light blue
Vacuum	Light blue / White / Light blue
Waste effluents ^{B)} e.g. sewage waste, WCs, etc. and waste water from showers, baths or industrial processes	Black
Electrical conduits and ventilation ducts	Orange
Acid and alkalis	Violet

A) Hydraulic power utilizing oil should be identified as a building service. Where water is utilized, these should be identified as a water service (see Annex F of BSI Specification for identification of pipelines and services).

B) Waste effluents conveyed for treatment at municipal treatment works or similar facilities, prior to discharge back to the environment, should be identified as a general building service. This includes the conveyance of waste effluents upstream of any recycling or water reuse treatment system. Waste effluents which are for direct reuse (e.g. greywater or flushing WCs) should be identified as a water service. Waste effluents which have been subject to treatment and are intended for reuse (e.g. bathroom greywater) should be identified post treatment as a water service (see Annex F of BSI Specification for identification of pipelines and services).

NOTE The widths of the basic identification and code colours should be specified in 7.4 of BSI Specification for identification of pipelines and services).

Pipe Contents	Identification Colours
MEDICAL GAS	Basic identification colour / Code colour(s) / Basic identification colour
Oxygen	Yellow ochre / White / Yellow ochre (O ₂) ^{A)}
Nitrous oxide	Yellow ochre / French blue / Yellow ochre (N ₂ O) ^{A)}
Anaesthetic gas scavenging	Yellow ochre / Primrose / French blue / Yellow ochre (AGS) ^{A)}
Carbon dioxide	Yellow ochre / French grey / Yellow Ochre
Exhaust from PSVs, etc	Yellow ochre (EXHAUST) ^{A)}
Spare medical gas	Yellow ochre
Surgical air	Light blue / White / Black / Light blue (SA)
Medicinal air	Light blue / White / Black / Light blue (MA) ^{A)}
Medical vacuum	Light blue / Primrose / Light blue (M VAC) ^{A)}
Surgical nitrogen (alternative label N ₂)	Light blue / Black / Light blue (SN) ^{A)}
Pathology medical vacuum	Light blue (PATH) ^{B)} / Golden brown / Primrose / Light blue (M VAC) ^{A)}
Pathology compressed air	Yellow ochre / Golden brown / White / Black / Yellow ochre
Pathology carbon dioxide	Yellow ochre / Golden brown / French grey / Yellow ochre

A) The information in brackets denotes the code indications for service identification that may be applied.

B) All pathology services should be identified by an additional golden brown code colour band and an additional PATH supplementary information label on the left side basic identification colour band.

NOTE 1 The colour names in these examples are illustrative only. Reference should be made to Table 1 of BSI Specification for identification of pipelines and services) for the relevant BS 400 colour number.

NOTE 2 The widths of the basic identification, safety and code identification colours should be specified in 7.2, 7.3 and 7.4 of BSI Specification for identification of pipelines and services).

Pipe Contents	Identification Colours
REFRIGERATION SERVICES	Basic identification colour / Code colour / Basic identification colour
Refrigerant 12	Yellow ochre / Blue / Yellow ochre
Refrigerant 22	Yellow ochre / Sea green / Yellow ochre
Refrigerant 502	Yellow ochre / Golden brown / Yellow ochre
Anhydrous ammonia	Yellow ochre / Dark mauve / Yellow ochre
Other refrigerants	Yellow ochre / Emerald green / Yellow ochre

NOTE The widths of the basic identification and code colours should be specified in 7.4 of BSI Specification for identification of pipelines and services).


Extracts from BS1710: 2014 are reproduced with the kind permission of BSI Customer Services,
389 Chiswick High Road, London W4 4AL, Tel: +44 20 8996 7004, Email: knowledgecentre@bsigroup.com

These extracts are for information purposes only. You should refer to the full BSI Standards Publication BS1710 'Specification for identification of pipelines and services' for information on the full requirements.

Application of basic identification colour only

Basic identification colour only applied as a band using the banding dimensions below, depending on the diameter of the service or the external surface of any insulation or external covering as points specified in 4.5 of BSI Specification for identification of pipelines and services:

- 1) diameters up to 50mm, minimum band width 130mm
- 2) diameters 50mm to 100mm, minimum band width 275mm
- 3) diameters above 100mm, minimum band width 450mm



Key

- 1) Basic identification colour
- 2) Decorative or natural colour
- 3) Dimension as specified in 7.2 of BSI Specification for identification of pipelines and services


Application of safety colours and code colours

The dimensions of the service identifier as it relates to the diameter of the service or the external surface of any insulation or external covering shall be of the dimensions detailed in a) to c) below. The centre code and/or safety colour band shall be of one colour or a combination of colours which enable the service to be identified. All code or safety colours shall be of equal width and accommodated within the dimensions of the code or safety colour. The minimum service identification dimensions shall be:

- a) diameters up to 50mm, minimum band widths: basic identification colour 50mm, code or safety colour 30mm
- b) diameters 50mm to 100mm, minimum band widths: basic identification colour 100mm, code or safety colour 75mm
- c) diameters above 100mm, minimum band widths: basic identification colour 150mm, code or safety colour 150mm

NOTE 1 Further examples are given in Annex C to Annex F of BSI Specification for identification of pipelines and services

NOTE 2 The dimensions of the colour bands are illustrated in Figure 2 of BSI Specification for identification of pipelines and services



Key

- | | |
|------------------------------------------|------------------------------------------------------------------------------------------------------|
| 1) Basic identification colour | a) Dimensions as identified in 7.4 of BSI Specification for identification of pipelines and services |
| 2) Safety or code colours (equal widths) | b) Dimensions as identified in 7.4 of BSI Specification for identification of pipelines and services |
| 3) Decorative or natural colour | c) Dimensions as identified in 7.4 of BSI Specification for identification of pipelines and services |

NOTE The colours in these examples are illustrative only. Reference should be made to Table 1 in BSI Specification for identification of pipelines and services for the relevant BS 4800 colour number.

Extracts from BS1710: 2014 are reproduced with the kind permission of BSI Customer Services,
389 Chiswick High Road, London W4 4AL, Tel: +44 20 8996 7004, Email: knowledgecentre@bsigroup.com

These extracts are for information purposes only. You should refer to the full BSI Standards Publication BS1710 'Specification for identification of pipelines and services' for information on the full requirements.